SEC. 22, TWP. 21N, R.6 E.



COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
22	21N	6E	21	33		X=	Y=		

NORTH



Tied by: LP & JY Date: 7-11-97

Drawn by: LP Date: 10-6-97

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

3/4" Brass Pin In Concrete Flush



MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
22	21N	65	21	24		X=	Y=		



Tied by: LP & JY Date: 6-30-97

Drawn by: L.P. Date: 9-10-97

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

Rail Road Spik. flush with asphalt



Approved: _____ Date: _____

COUNTY SURVEYOR

COUNTY SURVEYOR'S - SECTION CORNER TIES

SECTION	TOWNSHIP	RANGE	BOOK	PAGE	ELEVATION	UC ZONE STATE PLANE COORD		LATITUDE	LONGITUDE
22	21N	6E	21	24		X=	Y=		

NORTH

Tied by: LP & JY Date: 6-30-97

Drawn by: LP Date: 9-22-97

Checked by: _____ Date: _____

DESCRIPTION OF MONUMENT

½ Iron pipe 0.5' Below asphalt pavement





MARKER LOCATION

Approved: _____ Date: _____

COUNTY SURVEYOR